

**SINCE 1980**

# ***LUCKY ENGINEERING***

***YOUR LAUNDRY SOLUTION***



***CATALOGUE OF INDUSTRIAL LAUNDRY EQUIPMENT***

**\*\*\*\*\*HORIZONTAL WASHING MACHINE HEAVY DUTY\*\*\*\*\***

Model	Capacity (KGS)	Basket Size (MM)	Drive Motor (H.P)	Dimensions L * D * H(mm)	Net Weight (KGS)
LSHW-100	100	DIA 1250 * 1100	7.5	2100*1800*1850	1400
LSHW-150	150	DIA 1060 * 2440	10	3925*1310*1400	1750
LSHW-200	200	DIA 1220 * 2440	15	3925*1470*1610	2350



**\*\*\*\*\*HORIZONTAL WASHING MACHINE HEAVY DUTY - NEW DESIGN\*\*\*\*\***

Model	Capacity (KGS)	Basket Size (MM)	Drive Motor (H.P)	Dimensions L * D * H(mm)	Net Weight (KGS)
LSHW-100	100	DIA 1250 * 1100	7.5	2100*1800*1850	1400
LSHW-150	150	DIA 1060 * 2440	10	3925*1310*1400	1750
LSHW-200	200	DIA 1220 * 2440	15	3925*1470*1610	2350



**\*\*\*\*\*HORIZONTAL WASHING MACHINE MEDIUM\*\*\*\*\***

Model	Capacity (KGS)	Basket Size (MM)	Drive Motor (H.P)	Dimensions L * D * H(mm)	Net Weight (KGS)
LSHW-30	30	DIA 770 * 915	2	1525*1400*1320	650
LSHW-60	60	DIA 915 * 1170	3	1930*1475*1575	900
LSHW-100	100	DIA 1250 * 1100	7.5	2100*1800*1850	1400



\*\*\*\*\* **HYDRO EXTRACTOR DIRECT DRIVE** \*\*\*\*\*

Model	Capacity (KGS)	Basket Size (MM)	Drive Motor (H.P)	Dimensions L * D * H(mm)	Net Weight (KGS)
LSDD-15	15	DIA 540 * 320	2	685* 890*1100	160
LSDD-30	30	DIA 715*330	3	865*1065*1100	380



\*\*\*\*\* **HYDRO EXTRACTOR NON CO AXIAL** \*\*\*\*\*

Model	Capacity (KGS)	Basket Size (MM)	Drive Motor (H.P)	Dimensions L * D * H(mm)	Net Weight (KGS)
LSNA-15	15	DIA 540 * 320	2	685* 890*1100	160
LSNA-30	30	DIA 715*330	3	865*1065*1100	380



\*\*\*\*\***TUMBLE DRYER**\*\*\*\*\*

Model	Capacity (KGS)	Basket Size (MM)	Drive Motor (H.P)	Heater (K.W)	Dimensions L * D * H(mm)	Net Weight (KGS)
LSTD-15	15	DIA 710*710	1	12	800*1170*1575	250
LSTD-30	30	DIA 950*950	2	18	1050*1540*1980	500
LSTD-60	60	DIA1220*1020	4	24	1375*1727*2311	650
LSTD-120	120	DIA1600*1200	6	48	1750*2050*2720	1400



\*\*\*\*\***FLAT WORK DRYING IRONER (SR)**\*\*\*\*\*

Model	Capacity (KGS)	Useful Length (MM)	Steam (kgs/Hr)	Productivity Mt/mint	Motor(H.P)	Dimensions L * D * H(mm)	Net Weight (KGS)
LSSR-1600	DIA 400	1600	30	2-5	1	2250*850*1000	550
LSSR-2000	DIA 400	2000	50	2-7	2	2750*1000*1200	750
LSSR-2500	DIA 500	2500	80	2-9	3	3350*1015*1230	1250



**\*\*\*\*\*VACCUM TABLE-BUILT IN\*\*\*\*\***

Model	Working Width (mm)	Motor Capacity (H.P)	Boiler Heating (KW)	Pump Motor (HP)	Net Weight (KG)
LSVTB	130x80	0.5	3	0.5	275



**\*\*\*\*\*ELECTRICAL STEAM GENERATOR\*\*\*\*\***

**\*\*\*\*\* Capacity (10-12) Table\*\*\*\*\***

Model	Operating pressure	Power kw	Pump	Steam output	Dimension	Net Weight (KG)
LSESG	3.5 Bar	27	1hp	35kg/hr	700 x 875x785	110

